



Greeting Message

Welcome to the 3rd annual meeting of the AP-ISFGS!

First, I would like to thank everyone who has contributed to the organization of this event. Your enthusiastic support will allow us to share this memorable experience with surgeons, researchers, and industry partners joining us today from more than fifteen countries.

I still remember the day, when I first presented the clinical applications of fluorescence cholangiography using indocyanine green (ICG) at an international congress in 2010. At that time, few in the audience was paying attention to the utility of this technique. However, following the accumulation of evidences over the course of more than a decade, fluorescence imaging has become a standard navigation tool used during laparoscopic cholecystectomy in several countries. As in the case of fluorescence cholangiography, a dozen of fluorescence imaging technique has recently become used in a variety of surgical procedures, literally from head to toe. The primary aim of this meeting is to share our knowledge regarding standard-of-care techniques such as fluorescence cholangiography for delivering favorable outcomes to patients in the Asia–Pacific region using fluorescence-guided surgery.

The other purpose for our gathering here is to become acquainted with the upcoming novel fluorophores and imaging technologies that may change fluorescence imaging from an intraoperative diagnostic tool to an actual treatment option. In other words, we are now facing the second phase of fluorescence-guided surgery on the hilltop of ICG-based technologies. I expect that the Asia–Pacific region will play a leading role in building evidence on the effective use of new technologies, contributing to improved surgical outcomes.

Finally, our most important goal is to deepen friendships beyond the boundaries of nations, surgical and research specialties, and professions. Please enjoy this event and your stay in Osaka, hopefully under the full bloom of cherry trees (SAKURA)!

(Takeaki Ishizawa, MD, PhD, FACS President of the AP-ISFGS Professor, Department of Hepatobiliary-Pancreatic Surgery, Graduate School of Medicine, Osaka Metropolitan University, Osaka.

April 5 12:30-	12:35 Openeing remarks	Osaka Metropolitan University	lanan	
	Takeaki isnizawa	Osaka Metropolitari University	Japan	
April 5 12:35-7 Chairpersons	13:55 I. Toward standard-of- Toyofumi Chen-Yoshikawa	care 1 (GI tract and general surgery) Nagoya University	Japan	
Dessentens	Davide Lomanto	National University Hospital	Singapore	
Presenters	Naata Takabaabi	Department of Surgery, The Jikei	lanan	Our experience of intraoperative ICG fluorescence-guided surgery in
101		University Kashiwa Hospital	Japan	gastric cancer
102	Jane Chungyoon Kim	University College of Medicine	Korea	Indocyanine Green Fluorescence: A Case Series from a Single Center
103	Kimiyasu Yamazaki	Department of Surgery, School of Medicine, Showa University	Japan	Fluorescence microscopy findings of ICG fluorescence localization at tumor marking site in laparoscopic surgery for gastric cancer
104	Hiroyuki Kitagawa	Kochi Medical School	Japan	Surgery using near-infrared imaging and retrospective time intensity curve analysis
105	Yusuke Matsune	Department of Surgery, School of Medicine, Showa University	Japan	Evaluation of blood flow with ICG fluorescent imaging for the preservation of ischemic intestine
106	Toshiaki Wada	Division of Colorectal Surgery Kindai University Faculty of Medicine	Japan	Laparoscopic colectomy with lymph node navigation and intracorporeal anastomosis using Double ICG technique
107	Junji Takahashi	Department of Surgery, International University of Health and Welfare	Japan	Introduction of Fluoroscopic Surgery: case reports of the cholecystectomy and appendectomy
April 5 14:00-	15:20 II. Toward standard-of-	care 2 (HBP surgery)		
	Satoru Seo	Kochi medical school	Japan	
Presenters	Xiaoying Wang	Zhongshan Hospital, Fudan University	China	
201	Shinichi Kinami	Kanazawa Medical University Himi	Japan	Optimal administration method and weak points of ICG fluorescence
201		Municipal Hospital		cholangiography in laparoscopic cholecystectomy Early outcome of laparoscopic anatomical hepatectomy using
202	Vu Van Quang	108 Military Central Hospital	Vietnam	Indocyanine Green in treatment of Hepatocellular carcinoma
203	Kenichiro Araki	Division of Hepatobiliary and Pancreatic Surgery, Gunma University Graduate School of Medicine	Japan	Significance of laparoscopic segmentectomy of the liver using ICG fluorescent negative staining method: a comparative study with open procedure
204	Nobuyuki Takemura	National Center for Global Health and Medicine	Japan	A case of S4aS5 anatomical hepatectomy using ICG fluorescence positive and negative staining methods for advanced gallbladder cancer
205	Shuhei Kanda	Department of Surgery, Graduate School of Medicine, Kyoto University, Kyoto, Japan	Japan	The concentration gradient of fluorescence from multiple dosages of indocyanine green enables the identification of liver regions
206	Martin Huerta García	Vall d'Hebron University Hospital	Spain	Intraoperative Fluorescence Imaging with Preoperative ICG Administration for Liver Tumors Detection: Evaluating the Significance of ICG Retention in Resection Decision-Making
				Ĵ
207	Jinpeng Tang	Zhongshan Hospital, Fudan University	China	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma
207 April 5 15:30-1 Chairpersons	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kalbori	Zhongshan Hospital, Fudan University Kansai Medical University	China	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma
207 April 5 15:30-* Chairpersons	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University	China Japan Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma
207 April 5 15:30- Chairpersons Presenters 301	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East	China Japan Japan Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma
207 April 5 15:30- Chairpersons Presenters 301 302	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University	China Japan Japan Japan Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer
207 April 5 15:30- Chairpersons Presenters 301 302 303	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center	China Japan Japan Japan Japan The Netherlands	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects
207 April 5 15:30- Chairpersons Presenters 301 302 303 304	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc.	China Japan Japan Japan Japan The Netherlands US	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen Karina Juhl	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide	China Japan Japan Japan Japan The Netherlands US Danmark	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG)
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen Karina Juhl Gabriel P. Haas	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc.	China Japan Japan Japan The Netherlands US Danmark US	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen Karina Juhl Gabriel P. Haas Tommy Lee	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab	China Japan Japan Japan Japan The Netherlands US Danmark US US	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307 April 5 17:10-	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen Karina Juhl Gabriel P. Haas Tommy Lee 17:50 IV. Evening seminar	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab	China Japan Japan Japan Japan The Netherlands US Danmark US US US	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial need approach - Japan to Global - (Sponsored by Stryker)
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307 April 5 17:10- Chairperson Presenters	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen Karina Juhl Gabriel P. Haas Tommy Lee 17:50 IV. Evening seminar Jun Watanabe	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab Fluorescence guided surgery from th Kansai Medical University	China Japan Japan Japan The Netherlands US Danmark US US US e basic to advar Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial Ceed approach - Japan to Global - (Sponsored by Stryker)
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307 April 5 17:10- Chairperson Presenters E01	Jinpeng Tang Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Image: Comparison of the second secon	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab Fluorescence guided surgery from th Kansai Medical University Kansai Medical University	China Japan Japan Japan Japan The Netherlands US Danmark US US US e basic to advar Japan Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial need approach - Japan to Global - (Sponsored by Stryker) Blood Perfusion Assessment by Indocyanine Green Fluorescence Imaging for Minimally Invasive Rectal Cancer Surgery
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307 April 5 17:10- Chairperson Presenters E01 E02	Jinpeng Tang Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Image: Comparison of the second secon	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab Fluorescence guided surgery from the Kansai Medical University Kansai Medical University Ageo Central General Hospital	China Japan Japan Japan Japan Us Danmark US US e basic to advar Japan Japan Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial reced approach - Japan to Global - (Sponsored by Stryker) Blood Perfusion Assessment by Indocyanine Green Fluorescence Imaging for Minimally Invasive Rectal Cancer Surgery Current roles of ICG fluorescent imaging systems in laparoscopic liver resection
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307 April 5 17:10- Chairperson Presenters E01 E02 April 5 18:30-2	Jinpeng Tang Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Image: Comparison of the system of the syste	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab Fluorescence guided surgery from the Kansai Medical University Kansai Medical University Ageo Central General Hospital sored by Diagnostic Green)	China Japan Japan Japan Japan Us Danmark US US e basic to advar Japan Japan Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial need approach - Japan to Global - (Sponsored by Stryker) Blood Perfusion Assessment by Indocyanine Green Fluorescence Imaging for Minimally Invasive Rectal Cancer Surgery Current roles of ICG fluorescent imaging systems in Iaparoscopic liver resection
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307 April 5 17:10- Chairperson Presenters E01 E02 April 5 18:30-2	Jinpeng Tang Jinpeng Tang Jinpeng Tang Jino III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen Karina Juhl Gabriel P. Haas Tommy Lee Jun Watanabe Taiga Wakabayashi 21:00 Welcome dinner (Spon 45 V. Morning seminar HM	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab Fluorescence guided surgery from th Kansai Medical University Kansai Medical University Ageo Central General Hospital sored by Diagnostic Green) IRG: a possible main player in the fut	China Japan Japan Japan Japan The Netherlands US Danmark US US e basic to advar Japan Japan Japan US	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent F6001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial need approach - Japan to Global - (Sponsored by Stryker) Blood Perfusion Assessment by Indocyanine Green Fluorescence Imaging for Minimally Invasive Rectal Cancer Surgery Current roles of ICG fluorescent imaging systems in laparoscopic liver resection
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307 April 5 17:10- Chairperson Presenters E01 E02 April 5 18:30-2 April 6 8:00-83 Chairperson	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen Karina Juhl Gabriel P. Haas Tommy Lee 17:50 IV. Evening seminar Jun Watanabe Jun Watanabe Taiga Wakabayashi 21:00 Welcome dinner (Spon 45 V. Morning seminar HM Yasuteru Urano	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab Fluorescence guided surgery from th Kansai Medical University Kansai Medical University Ageo Central General Hospital sored by Diagnostic Green) IRG: a possible main player In the fut The University of Tokyo	China Japan Japan Japan Japan The Netherlands US Danmark US US US e basic to advar Japan Japan Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial Teed approach - Japan to Global - (Sponsored by Stryker) Blood Perfusion Assessment by Indocyanine Green Fluorescence Imaging for Minimally Invasive Rectal Cancer Surgery Current roles of ICG fluorescent imaging systems in laparoscopic liver resection
207 April 5 15:30- Chairpersons Presenters 301 302 303 304 305 306 307 April 5 17:10- Chairperson Presenters E01 E02 April 5 18:30-2 Chairperson Presenters M01	Jinpeng Tang 17:05 III. New techniques 1 Masaki Kaibori Katsuya Yamada Takeshi Shinozaki Hideo Fukuhara J.R. van der Vorst Eric Bensen Karina Juhl Gabriel P. Haas Tommy Lee 17:50 IV. Evening seminar Jun Watanabe Jun Watanabe Taiga Wakabayashi 21:00 Welcome dinner (Spon 45 V. Morning seminar HN Yasuteru Urano Shota Tanaka	Zhongshan Hospital, Fudan University Kansai Medical University Hirosaki University Department of Head and Neck Surgery, National Cancer Center Hospital East Kochi University Leiden University Medical Center Vergent Bioscience, Inc. FluoGuide Astellas Pharma Global Development Inc. On Target Lab Fluorescence guided surgery from tf Kansai Medical University Kansai Medical University Ageo Central General Hospital sored by Diagnostic Green) IRG: a possible main player in the fut The University of Tokyo Department of Neurosurgery, Okayama University graduate School of Medicine, Dentistry and Pharmaceutical Sciences	China Japan Japan Japan Japan The Netherlands US Danmark US US e basic to advar Japan Japan Japan Japan Japan Japan Japan	Improving retention and specificity of fluorescence probe for hepatocellular carcinoma Photoimmunotherapy 5-aminolevulinic acid-based photodynamic diagnosis for non-muscle invasive bladder cancer CEA-targeted fluorescence-guided surgery using SGM-101, current status and future prospects VGT-309: A tumor targeted near-infrared imaging agent for intraoperative detection of cancer in the lung Optical-Guided Surgery in High Grade Glioma and Oral and Oropharyngeal Squamous Cell Carcinoma Using a Novel uPAR-Targeted Near-Infrared Imaging Agent FG001 (AE105-Glu-Glu-ICG) Clinical application of pudexacianinium chloride (ASP5354) for intraoperative and noninvasive visualization of ureters Pafolacianine for intraoperative molecular imaging of cancer in the lung: The ELUCIDATE trial reed approach - Japan to Global - (Sponsored by Stryker) Blood Perfusion Assessment by Indocyanine Green Fluorescence Imaging for Minimally Invasive Rectal Cancer Surgery Current roles of ICG fluorescent imaging systems in laparoscopic liver resection e-guided surgery (Sponsored by Goryo Chemical) New endeavor to photodynamic diagnosis for glioma

April 6 8:50-9:45 VI. Fluorescence-guided surgery in the world							
Chairpersons	Takeaki Ishizawa	Osaka Metropolitan University	Japan				
	Norihiro Kokudo	National Center for Global Health and Medicine	Japan				
Presenters							
601	Raul J Rosenthal	Cleveland Clinic Weston, Florida	US	Message to the AP-ISFGS (Video)			
602	Fernando Dip	Buenos Aires	Argentina	ISFGS for the future (Video)			
603	Masashi Yoshida	Department of Surgery, International University of Health and Welfare	Japan	Japanese Society for Fluorescence Guided Surgery, the path we have taken and the road ahead			
604	Hiro Hasegawa	Department of Colorectal Surgery, National Cancer Center Hospital East	Japan	Japanese consensus guideline on evaluation of blood flow using indocyanine green fluorescence imaging in colorectal surgery			
605	Seong-Ho Kong	Seoul National University Hospital	Korea	Device and drug availability in Asia-Pacific regions for further development of fluorescence guided surgery			
April 6 9:50-1	1:25 VII. Expanding field of fl	uorescence guided surgery 1					
Chairpersons	Yung-Chun Hsieh	National Taiwan University College of	Taiwan				
enanpercente		Medicine					
	Han-Kwang Yang	Medicine	Korea				
Presenters				Clinical trials of fluorescence challengiagraphy togeting reduction of bills			
701	Catherine Teh	Makati Medical Center	Philippines	duct injury during laparoscopic cholecystectomy			
702	lan Wong	Queen Mary Hospital	Hong Kong	Roles of fluorescence imaging in upper GI surgery			
703	lan Tan	University Surgical Cluster, NATIONAL UNIVERSITY HEALTH SYSTEM (NUHS)	Singapore	The Role of ICG in Colorectal Surgery			
704	Roderick Peul	Leiden University Medical Center	The Netherlands	The potential of fluorescence imaging in preventing anastomotic leakage			
				Lymphatico-Venous Anastomosis for Lymphedema Cases introduced			
705	Kenshin Sai	Minami-Osaka General Hospital	Japan	Fluorescence imaging system SPY-PHI®-Taking advantage of our hospital-			
706	Yung-Chun Hsieh	National Taiwan University Hospital, National Taiwan University College of Medicine	Taiwan	Optimized repetitive injection protocol using Voluven-assisted indocyanine green in breast cancer sentinel lymph node biopsy			
707	Tamiko Kamimura	Tokorozawa Chuo Hospital	Japan	Indocyanine Green Fluorescence-Guided Knee Arthroscopy: Preliminary Results and Future Prospective			
April 6 11:30-7	11:55 Exhibition Go-Round w	vith coffee					
April 6 12:00-7	13:00 VIII. Luncheon seminar	The possibility and future of color	coded surgery ((Sponsored by Olympus)			
Chairpersons	G.V. Rao	AIG Hospitals & Asian Institute of	India	Opening remarks			
Presenters		Gastroenterology					
L01	Takashi Nonaka	Nagasaki University Graduate School	Japan	Color enhanced surgery for colorectal cancer			
1.02	Rawisak Chanwat	of Biological Science	Thailand				
April 6 12:05	14:40 IX Expanding field of f		maiana				
Chairpersons	Nguyen Anh Tuan	108 Military Central Hospital	Vietnam				
-	Nicholas O'Rourke	University of Queensland Brisbane	Australia				
Presenters 901	Xiaoying Wang	Zhongshan Hospital, Fudan University	China	Sentinel lymph node mapping of intrahepatic cholangiocarcinoma by ICG fluorescence			
902	Nguyen Van Du	108 Military Central Hospital	Vietnam	Comparative Study of ICG and Non-ICG in Laparoscopic Gastrectomy for Gastric Cancer: A Propensity Score-Matched Analysis at a Single Center			
903	Nicholas O'Rourke	University of Queensland Brisbane	Australia	ICG usage in spleen preserving distal pancreatectomy			
904	Dhiresh Kumar Maharjan	Kathmandu Medical College Teaching	Nepal	Role of ICG to look for vascularity of the pancreatic stump after Whipples			
		Hospital	•	procedure The FAFI-trial: NIRF perfusion assessment in reconstructive DIFP-flap			
905	Stefan Koning	Leiden University Medical Center	The Netherlands	surgery			
906	Rajaie Kamarudin	Selayang Hospital	Malaysia	ICG in Malaysia			
907	Wifanto S Jeo	Cipto Mangunkusumo Hospital Jakarta	Indonesia	Indocyanine Green			
April 6 14:45-16:05 X. New techniques 2							
Chairpersons	Simon Low	The University of Hong Kong	Hong Kong				
Presenters							
1001	Yoshihiko Tashiro	Medicine, Showa University	Japan	Development of A Fluorescent Surgical Gauze Stained with indocyanine Green The use of near infrared fluorescence for understanding micro- and			
1002	M. W. Kruiswijk	Leiden University Medical Center	The Netherlands	macrovascular pathology in vascular surgery patients			
1003	Kodai Tomioka	Department of Surgery, School of Medicine, Showa University	Japan	Fusion of Indocyanine Green Fluorescence Imaging and Artificial Intelligence Navigation for Color-Coded Laparoscopic Liver Resection			
1004	Shunjin Ryu	Department of Digestive Surgery, Kawaguchi Municipal Medical Center	Japan	intelligence assistance for anatomic visualization during colorectal cancer surgery			
		<u> </u>					
1005	Hyun-Koo Kim	Korea University Guro Hospital	Korea	Novel Fluorescent Imaging using Inhaled or Different Wavelength Fluorophores for Simultaneous Identification of Tumor Margin and Intersegmental Plane During Pulmonary Segmentectomy			
1005	Hyun-Koo Kim Hiroto Nishino	Korea University Guro Hospital Department of Surgery, Graduate School of Medicine, Kyoto University	Korea Japan	Novel Fluorescent Imaging using Inhaled or Different Wavelength Fluorophores for Simultaneous Identification of Tumor Margin and Intersegmental Plane During Pulmonary Segmentectomy Real-time navigation liver resection with indocyanine green fluorescence projection onto the surgical field			
1005 1006	Hyun-Koo Kim Hiroto Nishino 16:10. Closing remarks	Korea University Guro Hospital Department of Surgery, Graduate School of Medicine, Kyoto University	Korea Japan	Novel Fluorescent Imaging using Inhaled or Different Wavelength Fluorophores for Simultaneous Identification of Tumor Margin and Intersegmental Plane During Pulmonary Segmentectomy Real-time navigation liver resection with indocyanine green fluorescence projection onto the surgical field			

Pre-registration is highly recommended!



OR,

https://www.isfgs.org/home-asia-pacific



registration fee: <u>10,000JPY</u>

Organizing committee: ap-isfgs_office@issjp.com