

**Ref. No. Ref. detail**

- 1 Mitsuhashi N, Kimura F, Shimizu H, Imamaki M, Yoshidome H, Ohtsuka M, Kato A, Yoshitomi H, Nozawa S, Furukawa K, Takeuchi D, Takayashiki T, Suda K, Igarashi T, Miyazaki M. Usefulness of intraoperative fluorescence imaging to evaluate local anatomy in hepatobiliary surgery. *Journal of hepato-biliary-pancreatic surgery* 2008;**15**(5): 508-514.
- 2 Ishizawa T, Tamura S, Masuda K, Aoki T, Hasegawa K, Imamura H, Beck Y, Kokudo N. Intraoperative fluorescent cholangiography using indocyanine green: a biliary road map for safe surgery. *Journal of the American College of Surgeons* 2009;**208**(1): e1-4.
- 3 Ishizawa T, Bandai Y, Kokudo N. Fluorescent cholangiography using indocyanine green for laparoscopic cholecystectomy: an initial experience. *Arch Surg* 2009;**144**(4): 381-382.
- 4 Ishizawa T, Bandai Y, Ijichi M, Kaneko J, Hasegawa K, Kokudo N. Fluorescent cholangiography illuminating the biliary tree during laparoscopic cholecystectomy. *The British journal of surgery* 2010;**97**(9): 1369-1377.
- 5 Tagaya N, Shimoda M, Kato M, Nakagawa A, Abe A, Iwasaki Y, Oishi H, Shirohara N, Kubota K. Intraoperative exploration of biliary anatomy using fluorescence imaging of indocyanine green in experimental and clinical cholecystectomies. *Journal of hepato-biliary-pancreatic sciences* 2010;**17**(5): 595-600.
- 6 Aoki T, Murakami M, Yasuda D, Shimizu Y, Kusano T, Matsuda K, Niiya T, Kato H, Murai N, Otsuka K, Kusano M, Kato T. Intraoperative fluorescent imaging using indocyanine green for liver mapping and cholangiography. *Journal of hepato-biliary-pancreatic sciences* 2010;**17**(5): 590-594.
- 7 Ishizawa T, Kaneko J, Inoue Y, Takemura N, Seyama Y, Aoki T, Beck Y, Sugawara Y, Hasegawa K, Harada N, Ijichi M, Kusaka K, Shibasaki M, Bandai Y, Kokudo N. Application of fluorescent cholangiography to single-incision laparoscopic cholecystectomy. *Surgical endoscopy* 2011;**25**(8): 2631-2636.
- 8 Kawaguchi Y, Ishizawa T, Masuda K, Sato S, Kaneko J, Aoki T, Beck Y, Sugawara Y, Hasegawa K, Kokudo N. Hepatobiliary surgery guided by a novel fluorescent imaging technique for visualizing hepatic arteries, bile ducts, and liver cancers on color images. *Journal of the American College of Surgeons* 2011;**212**(6): e33-39.
- 9 Buchs NC, Hagen ME, Pugin F, Volonte F, Bucher P, Schiffer E, Morel P. Intra-operative fluorescent cholangiography using indocyanin green during robotic single site cholecystectomy. *The international journal of medical robotics + computer assisted surgery : MRCAS* 2012;**8**(4): 436-440.
- 10 Kaneko J, Ishizawa T, Masuda K, Kawaguchi Y, Aoki T, Sakamoto Y, Hasegawa K, Sugawara Y, Kokudo N. Indocyanine green reinjection technique for use in fluorescent angiography concomitant with cholangiography during laparoscopic cholecystectomy. *Surgical laparoscopy, endoscopy & percutaneous techniques* 2012;**22**(4): 341-344.
- 11 Sherwinter DA. Identification of anomolous biliary anatomy using near-infrared cholangiography. *Journal of gastrointestinal surgery : official journal of the Society for Surgery of the Alimentary Tract* 2012;**16**(9): 1814-1815.
- 12 Calatayud D, Milone L, Elli EF, Giulianotti PC. ICG-fluorescence identification of a small aberrant biliary canaliculus during robotic cholecystectomy. *Liver international : official journal of the International Association for the Study of the Liver* 2012;**32**(4): 602.
- 13 Schols RM, Bouvy ND, Masclee AA, van Dam RM, Dejong CH, Stassen LP. Fluorescence cholangiography during laparoscopic cholecystectomy: a feasibility study on early biliary tract delineation. *Surgical endoscopy* 2012.
- 14 Spinoglio G, Piora F, Bianchi PP, Lucido FS, Licciardello A, Maglione V, Grosso F, Quarati R, Ravazzoni F, Lenti LM. Real-time near-infrared (NIR) fluorescent cholangiography in single-site robotic cholecystectomy (SSRC): a single-institutional prospective study. *Surgical endoscopy* 2013;**27**(6): 2156-2162.
- 15 Buchs NC, Pugin F, Azagury DE, Jung M, Volonte F, Hagen ME, Morel P. Real-time near-infrared fluorescent cholangiography could shorten operative time during robotic single-site cholecystectomy. *Surgical endoscopy* 2013;**27**(10): 3897-3901.
- 16 Schols RM, Bouvy ND, van Dam RM, Masclee AA, Dejong CH, Stassen LP. Combined vascular and biliary fluorescence imaging in laparoscopic cholecystectomy. *Surgical endoscopy* 2013;**27**(12): 4511-4517.
- 17 Mohsen AA, Elbasiouny MS, Fawzy YS. Fluorescence-guided laparoscopic cholecystectomy: a new technique for visualization of biliary system by using fluorescein. *Surgical innovation* 2013;**20**(2): 105-108.
- 18 Dip FD, Asbun D, Rosales-Velderrain A, Lo Menzo E, Simpfendorfer CH, Szomstein S, Rosenthal RJ. Cost analysis and effectiveness comparing the routine use of intraoperative fluorescent cholangiography with fluoroscopic cholangiogram in patients undergoing laparoscopic cholecystectomy. *Surgical endoscopy* 2014;**28**(6): 1838-1843.
- 19 Prevot F, Rebibo L, Cosse C, Browet F, Sabbagh C, Regimbeau JM. Effectiveness of intraoperative cholangiography using indocyanine green (versus contrast fluid) for the correct assessment of extrahepatic bile ducts during day-case laparoscopic cholecystectomy. *Journal of gastrointestinal surgery : official journal of the Society for Surgery of the Alimentary Tract* 2014;**18**(8): 1462-1468.
- 20 Larsen SS, Schulze S, Bisgaard T. Non-radiographic intraoperative fluorescent cholangiography is feasible. *Dan Med J* 2014;**61**(8): A4891.
- 21 Daskalaki D, Fernandes E, Wang X, Bianco FM, Elli EF, Ayloo S, Masrur M, Milone L, Giulianotti PC. Indocyanine green (ICG) fluorescent cholangiography during robotic cholecystectomy: results of 184 consecutive cases in a single institution. *Surgical innovation* 2014;**21**(6): 615-621.
- 22 Morita K, Ishizawa T, Tani K, Harada N, Shimizu A, Yamamoto S, Takemura N, Kaneko J, Aoki T, Sakamoto Y, Sugawara Y, Hasegawa K, Kokudo N. Application of indocyanine green-fluorescence imaging to full-thickness cholecystectomy. *Asian journal of endoscopic surgery* 2014;**7**(2): 193-195.
- 23 Osayi SN, Wendling MR, Drosdeck JM, Chaudhry UI, Perry KA, Noria SF, Mikami DJ, Needleman BJ, Muscarella P, 2nd, Abdel-Rasoul M, Renton DB, Melvin WS, Hazey JW, Narula VK. Near-infrared fluorescent cholangiography facilitates identification of biliary anatomy during laparoscopic cholecystectomy. *Surgical endoscopy* 2015;**29**(2): 368-375.
- 24 Dip F, Roy M, Lo Menzo E, Simpfendorfer C, Szomstein S, Rosenthal RJ. Routine use of fluorescent incisionless cholangiography as a new imaging modality during laparoscopic cholecystectomy. *Surgical endoscopy* 2015;**29**(6): 1621-1626.
- 25 Boni L, David G, Mangano A, Dionigi G, Rausei S, Spampatti S, Cassinotti E, Fingerhut A. Clinical applications of indocyanine green (ICG) enhanced fluorescence in laparoscopic surgery. *Surgical endoscopy* 2015;**29**(7): 2046-2055.
- 26 van Dam DA, Ankersmit M, van de Ven P, van Rijswijk AS, Tuynman JB, Meijerink WJ. Comparing Near-Infrared Imaging with Indocyanine Green to Conventional Imaging During Laparoscopic Cholecystectomy: A Prospective Crossover Study. *Journal of laparoendoscopic & advanced surgical techniques Part A* 2015;**25**(6): 486-492.
- 27 Kono Y, Ishizawa T, Tani K, Harada N, Kaneko J, Saiura A, Bandai Y, Kokudo N. Techniques of Fluorescence Cholangiography During Laparoscopic Cholecystectomy for Better Delineation of the Bile Duct Anatomy. *Medicine* 2015;**94**(25): e1005.
- 28 Kawaguchi Y, Velayutham V, Fuks D, Christidis C, Kokudo N, Gayet B. Usefulness of Indocyanine Green-Fluorescence Imaging for Visualization of the Bile Duct During Laparoscopic Liver Resection. *Journal of the American College of Surgeons* 2015;**221**(6): e113-117.
- 29 Dip F, Nguyen D, Montorfano L, Szretter Noste ME, Lo Menzo E, Simpfendorfer C, Szomstein S, Rosenthal R. Accuracy of Near Infrared-Guided Surgery in Morbidly Obese Subjects Undergoing Laparoscopic Cholecystectomy. *Obesity surgery* 2016;**26**(3): 525-530.
- 30 Igami T, Nojiri M, Shinohara K, Ebata T, Yokoyama Y, Sugawara G, Mizuno T, Yamaguchi J, Nagino M. Clinical value and pitfalls of fluorescent cholangiography during single-incision laparoscopic cholecystectomy. *Surgery today* 2016;**46**(12): 1443-1450.
- 31 Zroback C, Chow G, Meneghetti A, Warnock G, Meloche M, Chiu CJ, Panton ON. Fluorescent cholangiography in laparoscopic cholecystectomy: the initial Canadian experience. *American journal of surgery* 2016;**211**(5): 933-937.
- 32 Nojiri M, Igami T, Tanaka H, Toyoda Y, Ebata T, Yokoyama Y, Sugawara G, Mizuno T, Yamaguchi J, Nagino M. Application of Fluorescent Cholangiography for Determination of the Resection Line During a Single-Incision Laparoscopic Cholecystectomy for a Benign Lesion of the Cystic Duct: Preliminary Experience. *Surgical laparoscopy, endoscopy & percutaneous techniques* 2016;**26**(6): e171-e173.
- 33 Zarrinpar A, Dutson EP, Mobley C, Busuttil RW, Lewis CE, Tillou A, Cheaito A, Hines OJ, Agopian VG, Hiyama DT. Intraoperative Laparoscopic Near-Infrared Fluorescence Cholangiography to Facilitate Anatomical Identification: When to Give Indocyanine Green and How Much. *Surgical innovation* 2016;**23**(4): 360-365.
- 34 Gangemi A, Danilkowicz R, Elli FE, Bianco F, Masrur M, Giulianotti PC. Could ICG-aided robotic cholecystectomy reduce the rate of open conversion reported with laparoscopic approach? A head to head comparison of the largest single institution studies. *Journal of Robotic Surgery* 2016;**11**(1): 77-82.

- 35 Ankersmit M, van Dam DA, van Rijswijk AS, van den Heuvel B, Tuynman JB, Meijerink W. Fluorescent Imaging With Indocyanine Green During Laparoscopic Cholecystectomy in Patients at Increased Risk of Bile Duct Injury. *Surgical innovation* 2017;**24**(3): 245-252.
- 36 Boogerd LSF, Handgraaf HJM, Huurman VAL, Lam HD, Mieog JSD, van der Made WJ, van de Velde CJH, Vahrmeijer AL. The Best Approach for Laparoscopic Fluorescence Cholangiography: Overview of the Literature and Optimization of Dose and Dosing Time. *Surgical innovation* 2017;**24**(4): 386-396.
- 37 Graves C, Ely S, Idowu O, Newton C, Kim S. Direct Gallbladder Indocyanine Green Injection Fluorescence Cholangiography During Laparoscopic Cholecystectomy. *Journal of laparoendoscopic & advanced surgical techniques Part A* 2017;**27**(10): 1069-1073.
- 38 Diana M, Soler L, Agnus V, D'Urso A, Vix M, Dallemagne B, Faucher V, Roy C, Mutter D, Marescaux J, Pessaux P. Prospective Evaluation of Precision Multimodal Gallbladder Surgery Navigation: Virtual Reality, Near-infrared Fluorescence, and X-ray-based Intraoperative Cholangiography. *Annals of surgery* 2017;**266**(5): 890-897.
- 39 Maker AV, Kunda N. A Technique to Define Extrahepatic Biliary Anatomy Using Robotic Near-Infrared Fluorescent Cholangiography. *Journal of gastrointestinal surgery : official journal of the Society for Surgery of the Alimentary Tract* 2017;**21**(11): 1961-1962.
- 40 Roy M, Dip F, Nguyen D, Simpfendorfer CH, Menzo EL, Szomstein S, Rosenthal RJ. Fluorescent incisionless cholangiography as a teaching tool for identification of Calot's triangle. *Surgical endoscopy* 2017;**31**(6): 2483-2490.
- 41 Liu YY, Liao CH, Diana M, Wang SY, Kong SH, Yeh CN, Dallemagne B, Marescaux J, Yeh TS. Near-infrared cholecystocholangiography with direct intragallbladder indocyanine green injection: preliminary clinical results. *Surgical endoscopy* 2017.
- 42 Hiwatashi K, Okumura H, Setoyama T, Ando K, Ogura Y, Aridome K, Maenohara S, Natsugoe S. Evaluation of laparoscopic cholecystectomy using indocyanine green cholangiography including cholecystitis: A retrospective study. *Medicine* 2018;**97**(30): e11654.
- 43 Tsutsui N, Yoshida M, Nakagawa H, Ito E, Iwase R, Suzuki N, Imakita T, Ohdaira H, Kitajima M, Yanaga K, Suzuki Y. Optimal timing of preoperative indocyanine green administration for fluorescent cholangiography during laparoscopic cholecystectomy using the PINPOINT(R) Endoscopic Fluorescence Imaging System. *Asian journal of endoscopic surgery* 2017.
- 44 Sharma S, Huang R, Hui S, Smith MC, Chung PJ, Schwartzman A, Sugiyama G. The utilization of fluorescent cholangiography during robotic cholecystectomy at an inner-city academic medical center. *J Robot Surg* 2018;**12**(3): 481-485.
- 45 Dip F, LoMenzo E, Sarotto L, Phillips E, Todeschini H, Nahmod M, Alle L, Schneider S, Kaja L, Boni L, Ferraina P, Carus T, Kokudo N, Ishizawa T, Walsh M, Simpfendorfer C, Mayank R, White K, Rosenthal RJ. Randomized Trial of Near-infrared Incisionless Fluorescent Cholangiography. *Annals of surgery* 2019;**270**(6): 992-999.
- 46 Yoshiya S, Minagawa R, Kamo K, Kasai M, Taketani K, Yukaya T, Kimura Y, Koga T, Kai M, Kajiyama K, Yoshizumi T. Usability of Intraoperative Fluorescence Imaging with Indocyanine Green During Laparoscopic Cholecystectomy After Percutaneous Transhepatic Gallbladder Drainage. *World journal of surgery* 2019;**43**(1): 127-133.
- 47 Esposito C, Del Conte F, Cerulo M, Gargiulo F, Izzo S, Esposito G, Spagnuolo MI, Escolino M. Clinical application and technical standardization of indocyanine green (ICG) fluorescence imaging in pediatric minimally invasive surgery. *Pediatric surgery international* 2019;**35**(10): 1043-1050.
- 48 Esposito C, Corcione F, Settini A, Farina A, Centonze A, Esposito G, Spagnuolo MI, Escolino M. Twenty-Five Year Experience with Laparoscopic Cholecystectomy in the Pediatric Population-From 10 mm Clips to Indocyanine Green Fluorescence Technology: Long-Term Results and Technical Considerations. *Journal of laparoendoscopic & advanced surgical techniques Part A* 2019;**29**(9): 1185-1191.
- 49 Iwasaki T, Takeyama Y, Yoshida Y, Kawaguchi K, Matsumoto M, Murase T, Kamei K, Takebe A, Matsumoto I, Nakai T. Identification of aberrant subvesical bile duct by using intraoperative fluorescence cholangiography: A case report. *International journal of surgery case reports* 2019;**61**: 115-118.
- 50 Fernandez-Bautista B, Mata DP, Parente A, Perez-Caballero R, De Agustin JC. First Experience with Fluorescence in Pediatric Laparoscopy. *European J Pediatr Surg Rep* 2019;**7**(1): e43-e46.
- 51 Kitamura H, Tsuji T, Yamamoto D, Takahashi T, Kadoya S, Kurokawa M, Bando H. Efficiency of fluorescent cholangiography during laparoscopic cholecystectomy for subvesical bile ducts: A case report. *International journal of surgery case reports* 2019;**57**: 194-196.
- 52 Ambe PC, Plambeck J, Fernandez-Jesberg V, Zarras K. The role of indocyanine green fluoroscopy for intraoperative bile duct visualization during laparoscopic cholecystectomy: an observational cohort study in 70 patients. *Patient Saf Surg* 2019;**13**: 2.
- 53 Wang C, Peng W, Yang J, Li Y, Yang J, Hu X, Xia L, Zhang L, Zhong Y, Qiao L, Pan W. Application of near-infrared fluorescent cholangiography using indocyanine green in laparoscopic cholecystectomy. *The Journal of international medical research* 2020;**48**(12): 300060520979224.
- 54 Matsumura M, Kawaguchi Y, Kobayashi Y, Kobayashi K, Ishizawa T, Akamatsu N, Kaneko J, Arita J, Kokudo N, Hasegawa K. Indocyanine green administration a day before surgery may increase bile duct detectability on fluorescence cholangiography during laparoscopic cholecystectomy. *Journal of hepato-biliary-pancreatic sciences* 2020.
- 55 Di Maggio F, Hossain N, De Zanna A, Husain D, Bonomo L. Near-Infrared Fluorescence Cholangiography can be a Useful Adjunct during Emergency Cholecystectomies. *Surgical innovation* 2022;**29**(4): 526-531.
- 56 Gene Skrabec C, Pardo Aranda F, Espin F, Cremades M, Navines J, Zarate A, Cugat E. Fluorescent cholangiography with direct injection of indocyanine green (ICG) into the gallbladder: a safety method to outline biliary anatomy. *Langenbeck's archives of surgery / Deutsche Gesellschaft fur Chirurgie* 2020;**405**(6): 827-832.
- 57 Nitta T, Kataoka J, Ohta M, Ueda Y, Senpuku S, Kurashima Y, Shimizu T, Ishibashi T. Laparoscopic cholecystectomy for cholecystitis using direct gallbladder indocyanine green injection fluorescence cholangiography: A case report. *Ann Med Surg (Lond)* 2020;**57**: 218-222.
- 58 Asai Y, Igami T, Ebata T, Yokoyama Y, Mizuno T, Yamaguchi J, Onoe S, Watanabe N, Nagino M. Application of fluorescent cholangiography during single-incision laparoscopic cholecystectomy in the cystohepatic duct without preoperative diagnosis. *ANZ journal of surgery* 2021;**91**(3): 470-472.
- 59 Esposito C, Settini A, Del Conte F, Cerulo M, Coppola V, Farina A, Crocetto F, Ricciardi E, Esposito G, Escolino M. Image-Guided Pediatric Surgery Using Indocyanine Green (ICG) Fluorescence in Laparoscopic and Robotic Surgery. *Frontiers in pediatrics* 2020;**8**: 314.
- 60 Calabro KA, Harmon CM, Vali K. Fluorescent Cholangiography in Laparoscopic Cholecystectomy and the Use in Pediatric Patients. *Journal of laparoendoscopic & advanced surgical techniques Part A* 2020;**30**(5): 586-589.
- 61 Rungsakulkij N, Thewmorakot S, Suragul W, Vassanasiri W, Tangtawee P, Muangkaew P, Mingphruedhi S, Aeesoa S. Fluorescence cholangiography enhances surgical residents' biliary delineation skill for laparoscopic cholecystectomies. *World journal of gastrointestinal surgery* 2020;**12**(3): 93-103.
- 62 Jao ML, Wang YY, Wong HP, Bachhav S, Liu KC. Intracholecystic administration of indocyanine green for fluorescent cholangiography during laparoscopic cholecystectomy-A two-case report. *International journal of surgery case reports* 2020;**68**: 193-197.
- 63 Lehrskov LL, Westen M, Larsen SS, Jensen AB, Kristensen BB, Bisgaard T. Fluorescence or X-ray cholangiography in elective laparoscopic cholecystectomy: a randomized clinical trial. *The British journal of surgery* 2020;**107**(6): 655-661.
- 64 Bleszynski MS, DeGirolamo KM, Meneghetti AT, Chiu CJ, Panton ON. Fluorescent Cholangiography in Laparoscopic Cholecystectomy: An Updated Canadian Experience. *Surgical innovation* 2020;**27**(1): 38-43.
- 65 Datta RR, Dieplinger G, Wahba R, Kleinert R, Thomas M, Gebauer F, Schiffmann L, Stippel DL, Bruns CJ, Fuchs HF. True single-port cholecystectomy with ICG cholangiography through a single 15-mm trocar using the new surgical platform "symphonX": first human case study with a commercially available device. *Surgical endoscopy* 2020;**34**(6): 2722-2729.
- 66 Pesce A, La Greca G, Esposito Ultimo L, Basile A, Puleo S, Palmucci S. Effectiveness of near-infrared fluorescent cholangiography in the identification of cystic duct-common hepatic duct anatomy in comparison to magnetic resonance cholangio-pancreatography: a preliminary study. *Surgical endoscopy* 2020;**34**(6): 2715-2721.
- 67 Agnus V, Pesce A, Boni L, Van Den Bos J, Morales-Conde S, Paganini AM, Quaresima S, Balla A, La Greca G, Plaudis H, Moretto G, Castagnola M, Santi C, Casali L, Tartamella L, Saadi A, Picchetto A, Arezzo A, Marescaux J, Diana M. Fluorescence-based cholangiography: preliminary results from the IHU-IRCAD-EAES EURO-FIGS registry. *Surgical endoscopy* 2020;**34**(9): 3888-3896.
- 68 Quaresima S, Balla A, Palmieri L, Seitaj A, Fingerhut A, Ursi P, Paganini AM. Routine near infra-red indocyanine green fluorescent cholangiography versus intraoperative cholangiography during laparoscopic cholecystectomy: a case-matched comparison. *Surgical endoscopy* 2020;**34**(5): 1959-1967.

- 69 Iacuzzo C, Bressan L, Troian M, Germani P, Giudici F, Bortul M. The Added Value of Intraoperative Near-Infrared Fluorescence Imaging in Elective Laparoscopic Cholecystectomy. *Surgical innovation* 2022;**29**(6): 716-722.
- 70 Esposito C, Alberti D, Settini A, Pecorelli S, Boroni G, Montanaro B, Escolino M. Indocyanine green (ICG) fluorescent cholangiography during laparoscopic cholecystectomy using RUBINA technology: preliminary experience in two pediatric surgery centers. *Surgical endoscopy* 2021;**35**(11): 6366-6373.
- 71 Keeratibharat N. Initial experience of intraoperative fluorescent cholangiography during laparoscopic cholecystectomy: A retrospective study. *Ann Med Surg (Lond)* 2021;**68**: 102569.
- 72 Takahashi J, Yoshida M, Nakaseko Y, Nakashima K, Kamada T, Suzuki N, Ohdaira H, Suzuki Y. Laparoscopic cholecystectomy completely guided by indocyanine green fluorescence in a patient with gallstone: A case report. *International journal of surgery case reports* 2021;**88**: 106533.
- 73 Lim SH, Tan HTA, Shelat VG. Comparison of indocyanine green dye fluorescent cholangiography with intra-operative cholangiography in laparoscopic cholecystectomy: a meta-analysis. *Surgical endoscopy* 2021;**35**(4): 1511-1520.
- 74 Cardenas G, Fornaguera I, Diaz Del Gobbo R, Ginesta C. Direct gallbladder indocyanine green injection technique to achieve critical view of safety in laparoscopic cholecystectomy. *Cir Esp (Engl Ed)* 2021;**99**(9): 678-682.
- 75 Turcotte J, Leydorf SD, Ali M, Feather C, Klune JR. Indocyanine green does not decrease the need for bail-out operation in an acute care surgery population. *Surgery* 2021;**169**(2): 227-231.
- 76 Koong JK, Ng GH, Ramayah K, Koh PS, Yoong BK. Early identification of the critical view of safety in laparoscopic cholecystectomy using indocyanine green fluorescence cholangiography: A randomised controlled study. *Asian journal of surgery / Asian Surgical Association* 2021;**44**(3): 537-543.
- 77 Jin H, Yang J, Lu L, Cui M. Propensity score matching between conventional laparoscopic cholecystectomy and indocyanine green cholangiography-guided laparoscopic cholecystectomy: observational study. *Lasers in medical science* 2022;**37**(2): 1351-1359.
- 78 Esposito C, Settini A, Cerulo M, Escolino M. Efficacy of indocyanine green (ICG) fluorescent cholangiography to improve intra-operative visualization during laparoscopic cholecystectomy in pediatric patients: a comparative study between ICG-guided fluorescence and standard technique. *Surgical endoscopy* 2022;**36**(6): 4369-4375.
- 79 Okada Y, Kawaguchi Y, Matsumura M, Matsubara S, Nakai Y, Ichida A, Ishizawa T, Akamatsu N, Kaneko J, Arita J, Koike K, Hasegawa K. A safe sequential treatment approach for patients who have acute cholecystitis with severe inflammation: Transmural gallbladder drainage followed by laparoscopic cholecystectomy under the guidance of fluorescence imaging. *Asian journal of endoscopic surgery* 2022;**15**(1): 230-234.