






among infants with number of fetus 2>







among infants with number of fetus 2>

























among infants with positive histologic CAM





among infants with positive histologic CAM











































among infants with maternal steroid






among infants with maternal steroid


















among infants with inborn





among infants with inborn

















among infants with live birth





among infants with live birth







among infants with neonatal blood gas analysis






among infants with neonatal blood gas analysis














among infants with live birth and remained



among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained







among infants with live birth and remained




among infants with live birth and remained




among infants with live birth, remained and mechanical ventilation




among infants with live birth, remained and mechanical ventilation




among infants with live birth, remained and alive at 28 days of age




among infants with live birth, remained and alive at 28 days of age




among infants with CLD




among infants with CLD




among infants with live birth, remained, alive at 36 wk(corrected age)




among infants with live birth, remained, alive at 36 wk(corrected age)




among infants with live birth, remained and pulmonary airleak




among infants with live birth, remained and pulmonary airleak




among infants with live birth, remained and HFO



among infants with live birth, remained and HFO




among infants with live birth, remained and NAVA




among infants with live birth, remained and NAVA







among infants with live birth, remained and NAVA




among infants with live birth, remained and NAVA




among infants with live birth, remained and CLD




among infants with live birth, remained and CLD




among infants with live birth, remained and CLD 36 wk




among infants with live birth, remained and CLD 36 wk




among infants with live birthm, remained and CLD 36 wk




among infants with live birthm, remained and CLD 36 wk




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with symptomatic PDA



among infants with symptomatic PDA




among infants with live birth, remained and alive at 7 d




among infants with live birth, remained and alive at 7 d







among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth, remained and IVH




among infants with live birth, remained and IVH




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth, remained and seizure




among infants with live birth, remained and seizure




among infants with live birth, remained and post IVH hydrocephalus



among infants with live birth, remained and post IVH hydrocephalus




among infants with live birth and remained




among infants with live birth and remained







among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained







among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained





among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained







among infants with live birth and remained




among infants with live birth and remained




among infants with live birth, remained and donor milk use




among infants with live birth, remained and donor milk use




among infants with live birth, remained and congenital anomaly



among infants with live birth, remained and congenital anomaly




among infants with live birth and remained




among infants with live birth and remained







among infants with live birth and remained




among infants with live birth and remained




among infants with live birth, remained and erythropoietin




among infants with live birth, remained and erythropoietin




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth




among infants with live birth




among infants with live birth, remained and dead at discharge




among infants with live birth, remained and dead at discharge




among infants with live birth, remained and alive at discharge




among infants with live birth, remained and alive at discharge




among infants with live birth, remained and alive at discharge



among infants with live birth, remained and alive at discharge



among infants with live birth and alive at discharge



among infants with live birth and alive at discharge