

# 正 誤 表

Shinshu Med J, 70(1) : 39~46, 2022

## Prevalence of Takotsubo Syndrome among Patients Admitted to an Emergency Department

Akihiro YASHIO<sup>1)</sup>, Hiroshi IMAMURA<sup>2)</sup>\*, Katsunori MOCHIZUKI<sup>2)</sup>, Yuichiro KASHIMA<sup>2)</sup>  
Hiroshi TAKAYAMA<sup>2)</sup>, Kenichi NITTA<sup>2)</sup>, Kanako TAKESHIGE<sup>2)</sup> and Hiroshi KAMIJO<sup>2)</sup>

1) *Department of Emergency and Critical Care Medicine, Otsu City Hospital*

2) *Department of Emergency and Critical Care Medicine, Shinshu University Hospital*

論文の Table 3の内容について記載した本文の一部に誤りがございましたので、下記の通り訂正いたします。

訂正箇所 (頁 / 行)	訂 正 内 容	
	誤	正
42頁/1~5行	The Acute Physiology and Chronic Health Evaluation (APCHE) II scores were higher in the Primary TTS group than in the emotional and unknown trigger groups, as was the length of ICU and hospital stay.	The Acute Physiology and Chronic Health Evaluation (APCHE) II scores were higher in the Secondary TTS group than in Primary TTS groups, as was the length of ICU and hospital stay.